



**Small Carbide Tapered Full Flush Cutter**  
Provides a true flush cut on more robust applications and challenging materials.



**Small Carbide Dual Tapered Fine Tip Full Flush Cutter**  
Absolute precision. The tool of choice for precise flush cuts on internal coil trims.



**Small Carbide Tapered Ultra Sharp Tip Full Flush Cutter**  
Ultra sharp tip is designed for precise internal trimming of the smallest coils.



**Small Carbide Slim Dual Tapered-Relieved Fine Tip Full Flush Cutter**  
Slim double tapered relieved head allows for precision trimming in confined spaces.



**Small Carbide Dual Tapered Ultra Sharp Tip Full Flush Cutter**  
Longer blade length than the M406C, allowing for further reach in areas with limited access.



**Small Carbide Tapered Semi Flush Cutter**  
A more robust cutting edge for heavier duty applications.

CARBIDE TAPERED HEAD DIAGONAL CUTTERS

| Model   | Description                                                               | OAL   | Blade Length | Body Width | Tip   | Handle Type |
|---------|---------------------------------------------------------------------------|-------|--------------|------------|-------|-------------|
| M401C   | Small Carbide Tapered Full Flush Cutter                                   | 4.70" | 0.50"        | 0.45"      | 0.05" | Traditional |
| M401EC  | Small Carbide Tapered Full Flush Cutter, Ergo                             | 5.60" | 0.50"        | 0.45"      | 0.05" | Ergo        |
| M403C   | Small Carbide Dual Tapered Fine Tip Full Flush Cutter                     | 4.70" | 0.30"        | 0.45"      | 0.04" | Traditional |
| M403EC  | Small Carbide Dual Tapered Fine Tip Full Flush Cutter, Ergo               | 5.60" | 0.30"        | 0.45"      | 0.04" | Ergo        |
| M405C   | Small Carbide Tapered Ultra Sharp Tip Full Flush Cutter                   | 4.70" | 0.40"        | 0.45"      | 0.03" | Traditional |
| M405EC  | Small Carbide Tapered Ultra Sharp Tip Full Flush Cutter, Ergo             | 5.60" | 0.40"        | 0.45"      | 0.03" | Ergo        |
| M4051C  | Small Carbide Tapered Ultra Sharp Micro Tip Full Flush Cutter             | 4.70" | 0.30"        | 0.45"      | 0.02" | Traditional |
| M406C   | Small Carbide Slim Dual Tapered-Relieved Fine Tip Full Flush Cutter       | 4.70" | 0.30"        | 0.45"      | 0.03" | Traditional |
| M406EC  | Small Carbide Slim Dual Tapered-Relieved Fine Tip Full Flush Cutter, Ergo | 5.60" | 0.30"        | 0.45"      | 0.03" | Ergo        |
| M407C   | Small Carbide Dual Tapered Ultra Sharp Tip Full Flush Cutter              | 4.70" | 0.45"        | 0.45"      | 0.03" | Traditional |
| M407EC  | Small Carbide Dual Tapered Ultra Sharp Tip Full Flush Cutter, Ergo        | 5.60" | 0.45"        | 0.45"      | 0.03" | Ergo        |
| M4011C  | Small Carbide Tapered Semi Flush Cutter                                   | 4.70" | 0.30"        | 0.45"      | 0.05" | Traditional |
| M4011EC | Small Carbide Tapered Semi Flush Cutter, Ergo                             | 5.60" | 0.30"        | 0.45"      | 0.05" | Ergo        |

CARBIDE OVAL HEAD DIAGONAL CUTTERS

| Model  | Description                                         | OAL   | Blade Length | Body Width | Tip   | Handle Type |
|--------|-----------------------------------------------------|-------|--------------|------------|-------|-------------|
| M409C  | Small Carbide Oval Bullnose Semi Flush Cutter       | 4.70" | 0.25"        | 0.45"      | 0.08" | Traditional |
| M409EC | Small Carbide Oval Bullnose Semi Flush Cutter, Ergo | 5.60" | 0.25"        | 0.45"      | 0.08" | Ergo        |
| M410C  | Small Carbide Oval Semi Flush Cutter                | 4.80" | 0.45"        | 0.45"      | 0.04" | Traditional |
| M410EC | Small Carbide Oval Semi Flush Cutter, Ergo          | 5.60" | 0.45"        | 0.45"      | 0.04" | Ergo        |
| M411C  | Small Carbide Oval Full Flush Cutter                | 4.80" | 0.45"        | 0.45"      | 0.04" | Traditional |
| M411EC | Small Carbide Oval Full Flush Cutter, Ergo          | 5.60" | 0.45"        | 0.45"      | 0.04" | Ergo        |
| M609C  | Large Carbide Oval Bullnose Semi Flush Cutter       | 5.20" | 0.45"        | 0.60"      | 0.09" | Traditional |
| M609EC | Large Carbide Oval Bullnose Semi Flush Cutter, Ergo | 5.90" | 0.45"        | 0.60"      | 0.09" | Ergo        |
| M610C  | Large Carbide Oval Semi Flush Cutter                | 5.45" | 0.80"        | 0.60"      | 0.09" | Traditional |
| M610EC | Large Carbide Oval Semi Flush Cutter, Ergo          | 6.25" | 0.70"        | 0.60"      | 0.09" | Ergo        |
| M611C  | Large Carbide Oval Full Flush Cutter                | 5.40" | 0.80"        | 0.60"      | 0.09" | Traditional |
| M611EC | Large Carbide Oval Full Flush Cutter, Ergo          | 6.40" | 0.80"        | 0.60"      | 0.09" | Ergo        |

CARBIDE M-SERIES ANGLED END CUTTERS

| Model | Description                                     | OAL   | Blade Length | Body Width | Tip   | Handle Type |
|-------|-------------------------------------------------|-------|--------------|------------|-------|-------------|
| M482C | Small Carbide 60 Degree Angled Tip Flush Cutter | 4.80" | 0.50"        | 0.40"      | 0.03" | Traditional |
| M491C | Carbide 60 Degree Angled Tip Flush Cutter       | 4.90" | 0.45"        | 0.45"      | 0.06" | Traditional |





**Large Oval Full Flush Cutter**  
Designed for flush lateral cutting of heavy duty materials such as stainless steel and Nitinol up to .035”.



**Large Oval Semi Flush Cutter**  
An ideal cutter for the widest varieties of cutting applications.



**Small Tapered Semi Flush Cutter**  
Our smallest tapered relieved cutter for those who prefer a smaller framed tool for highly detailed work.



**Small Oval Semi Flush Cutter**  
For general purpose applications where a true flush cut is not necessary.



**Small Tapered Full Flush Cutter**  
Tapered head allows access to more confined spaces, while providing flush cuts.



**Small Oval Full Flush Cutter**  
For general purpose applications where a more flush cut is necessary.

TAPERED HEAD DIAGONAL CUTTERS

| Model   | Description                                     | OAL   | Blade Length | Body Width | Tip   | Handle Type |
|---------|-------------------------------------------------|-------|--------------|------------|-------|-------------|
| M143    | Small Tapered Semi Flush Cutter                 | 4.70" | 0.40"        | 0.40"      | 0.03" | Traditional |
| M143E   | Small Tapered Semi Flush Cutter, Ergo           | 5.60" | 0.40"        | 0.40"      | 0.03" | Ergo        |
| M144    | Small Tapered Flush Cutter                      | 4.70" | 0.40"        | 0.40"      | 0.03" | Traditional |
| M144E   | Small Tapered Flush Cutter, Ergo                | 5.50" | 0.30"        | 0.45"      | 0.03" | Ergo        |
| M148LI  | Small Tapered-Relieved Super Flush Cutter       | 4.70" | 0.40"        | 0.40"      | 0.03" | Traditional |
| M148ELI | Small Tapered-Relieved Super Flush Cutter, Ergo | 5.60" | 0.30"        | 0.40"      | 0.03" | Ergo        |
| M154    | Midsize Tapered Flush Cutter                    | 4.80" | 0.50"        | 0.50"      | 0.03" | Traditional |
| M154E   | Midsize Tapered Flush Cutter, Ergo              | 5.70" | 0.50"        | 0.50"      | 0.03" | Ergo        |
| M415    | Small Tapered Full Flush Cutter                 | 4.80" | 0.40"        | 0.45"      | 0.03" | Traditional |
| M415E   | Small Tapered Full Flush Cutter, Ergo           | 5.60" | 0.45"        | 0.40"      | 0.03" | Ergo        |
| M418    | Small Tapered Flush Cutter                      | 4.70" | 0.30"        | 0.45"      | 0.03" | Traditional |
| M418E   | Small Tapered Flush Cutter, Ergo                | 5.60" | 0.30"        | 0.45"      | 0.03" | Ergo        |

OVAL HEAD DIAGONAL CUTTERS

| Model   | Description                                 | OAL   | Blade Length | Body Width | Tip   | Handle Type |
|---------|---------------------------------------------|-------|--------------|------------|-------|-------------|
| M140    | Small Oval Semi Flush Cutter                | 4.75" | 0.35"        | 0.40"      | 0.04" | Traditional |
| M140E   | Small Oval Semi Flush Cutter, Ergo          | 5.60" | 0.35"        | 0.40"      | 0.04" | Ergo        |
| M141    | Small Oval Full Flush Cutter                | 4.70" | 0.45"        | 0.40"      | 0.03" | Traditional |
| M141E   | Small Oval Full Flush Cutter, Ergo          | 5.50" | 0.45"        | 0.40"      | 0.03" | Ergo        |
| M150    | Midsize Oval Semi Flush Cutter              | 4.85" | 0.50"        | 0.50"      | 0.04" | Traditional |
| M150E   | Midsize Oval Semi Flush Cutter, Ergo        | 5.70" | 0.50"        | 0.50"      | 0.04" | Ergo        |
| M160    | Large Oval Semi Flush Cutter                | 5.30" | 0.68"        | 0.60"      | 0.06" | Traditional |
| M160E   | Large Oval Semi Flush Cutter, Ergo          | 6.20" | 0.68"        | 0.60"      | 0.06" | Ergo        |
| M410    | Small Oval Semi Flush Cutter                | 4.80" | 0.45"        | 0.45"      | 0.04" | Traditional |
| M410E   | Small Oval Semi Flush Cutter, Ergo          | 5.60" | 0.45"        | 0.45"      | 0.04" | Ergo        |
| M411    | Small Oval Full Flush Cutter                | 4.80" | 0.45"        | 0.45"      | 0.04" | Traditional |
| M411E   | Small Oval Full Flush Cutter, Ergo          | 5.60" | 0.45"        | 0.45"      | 0.04" | Ergo        |
| M510    | Midsize Oval Semi Flush Cutter              | 5.00" | 0.55"        | 0.50"      | 0.04" | Traditional |
| M510E   | Midsize Oval Semi Flush Cutter, Ergo        | 5.75" | 0.55"        | 0.50"      | 0.04" | Ergo        |
| M511    | Midsize Oval Full Flush Cutter              | 5.00" | 0.55"        | 0.50"      | 0.04" | Traditional |
| M511E   | Midsize Oval Full Flush Cutter, Ergo        | 5.60" | 0.55"        | 0.50"      | 0.04" | Ergo        |
| M610    | Large Oval Semi Flush Cutter                | 5.40" | 0.80"        | 0.60"      | 0.09" | Traditional |
| M610E   | Large Oval Semi Flush Cutter, Ergo          | 5.90" | 0.80"        | 0.60"      | 0.09" | Ergo        |
| M611    | Large Oval Full Flush Cutter                | 5.50" | 0.70"        | 0.60"      | 0.09" | Traditional |
| M611E   | Large Oval Full Flush Cutter, Ergo          | 6.40" | 0.70"        | 0.60"      | 0.09" | Ergo        |
| M709    | Large Oval Bullnose Semi Flush Cutter       | 6.25" | 0.50"        | 0.70"      | 0.09" | Traditional |
| M709E   | Large Oval Bullnose Semi Flush Cutter, Ergo | 7.50" | 0.50"        | 0.70"      | 0.09" | Ergo        |
| M76917  | Large Oval Full Flush Cutter                | 5.35" | 0.65"        | 0.60"      | 0.09" | Traditional |
| M76917E | Large Oval Full Flush Cutter, Ergo          | 6.40" | 0.65"        | 0.60"      | 0.09" | Ergo        |





**Miniature Tapered-Relieved Super Flush Cutter**  
Miniature head and handle design are optimal for work under magnification.



**Midsize Oval Bullnose Semi Flush Cutter**  
Designed with strength and rigidity for intermediary hard wire cutting. Standard size handle is more accommodating to smaller hands.



**Large Oval Bullnose Semi Flush Cutter**  
Our most versatile cutter in the M-Series line. Engineered for larger gauge hard wire cutting, including stainless steel and Nitinol alloys.



**Large High Leverage Bullnose Semi Flush Torsion Spring Cutter**  
Ergonomic handle, torsion spring, and I-frame design put the high leverage tools in a class all of their own.



**Small 45 Degree Angled Tip Flush Cutter, Ergo**  
Used for precision tip cutting when an angled end is required for ease of access.



**Small 60 Degree Angled Tip Flush Cutter**  
Angle end cutter ideal for precision work underneath magnification.

SHORT NOSE/HIGH LEVERAGE DIAGONAL CUTTERS

| Model  | Description                                                   | OAL   | Blade Length | Body Width | Tip   | Handle Type |
|--------|---------------------------------------------------------------|-------|--------------|------------|-------|-------------|
| M409   | Small Oval Bullnose Semi Flush Cutter                         | 4.60" | 0.30"        | 0.45"      | 0.05" | Traditional |
| M409E  | Small Oval Bullnose Semi Flush Cutter, Ergo                   | 5.45" | 0.30"        | 0.45"      | 0.05" | Ergo        |
| M509   | Midsize Oval Bullnose Semi Flush Cutter                       | 4.75" | 0.35"        | 0.50"      | 0.08" | Traditional |
| M509E  | Midsize Oval Bullnose Semi Flush Cutter, Ergo                 | 5.65" | 0.35"        | 0.50"      | 0.08" | Ergo        |
| M533   | Midsize Short Nose Tapered Semi Flush Cutter                  | 4.70" | 0.35"        | 0.50"      | 0.07" | Traditional |
| M533E  | Midsize Short Nose Tapered Semi Flush Cutter, Ergo            | 5.60" | 0.35"        | 0.50"      | 0.07" | Ergo        |
| M609   | Large Oval Bullnose Semi Flush Cutter                         | 5.20" | 0.45"        | 0.60"      | 0.09" | Traditional |
| M609E  | Large Oval Bullnose Semi Flush Cutter, Ergo                   | 5.90" | 0.45"        | 0.60"      | 0.09" | Ergo        |
| M609EH | Large High Leverage Bullnose Semi Flush Torsion Spring Cutter | 6.60" | 0.55"        | 0.70"      | 0.09" | Ergo        |
| M610EH | Large High Leverage Oval Semi Flush Torsion Spring Cutter     | 6.65" | 0.66"        | 0.70"      | 0.09" | Ergo        |

MINIATURE DIAGONAL CUTTERS

| Model   | Description                                         | OAL   | Blade Length | Body Width | Tip   | Handle Type |
|---------|-----------------------------------------------------|-------|--------------|------------|-------|-------------|
| M112    | Miniature Oval Super Flush Cutter                   | 4.80" | 0.45"        | 0.40"      | 0.03" | Traditional |
| M112E   | Miniature Oval Super Flush Cutter, Ergo             | 5.70" | 0.45"        | 0.40"      | 0.03" | Ergo        |
| M138-2  | Miniature Tapered-Relieved Super Flush Cutter       | 4.20" | 0.30"        | 0.40"      | 0.03" | Traditional |
| M138E-2 | Miniature Tapered-Relieved Super Flush Cutter, Ergo | 5.30" | 0.30"        | 0.40"      | 0.03" | Ergo        |
| M130    | Miniature Oval Semi Flush Cutter                    | 4.00" | 0.25"        | 0.35"      | 0.03" | Traditional |
| M130E   | Miniature Oval Semi Flush Cutter, Ergo              | 5.30" | 0.30"        | 0.40"      | 0.03" | Ergo        |
| M131    | Miniature Oval Full Flush Cutter                    | 4.00" | 0.25"        | 0.35"      | 0.03" | Traditional |
| M131E   | Miniature Oval Flush Cutter, Ergo                   | 5.40" | 0.36"        | 0.35"      | 0.03" | Ergo        |

ANGLED END CUTTERS

| Model | Description                                   | OAL   | Blade Length | Body Width | Tip   | Handle Type |
|-------|-----------------------------------------------|-------|--------------|------------|-------|-------------|
| M225  | Small 45 Degree Angled Tip Flush Cutter       | 4.90" | 0.30"        | 0.45"      | 0.06" | Traditional |
| M225E | Small 45 Degree Angled Tip Flush Cutter, Ergo | 5.80" | 0.30"        | 0.45"      | 0.06" | Ergo        |
| M482  | Small 60 Degree Angled Tip Flush Cutter       | 4.75" | 0.25"        | 0.45"      | 0.04" | Traditional |
| M482E | Small 60 Degree Angled Tip Flush Cutter, Ergo | 5.60" | 0.25"        | 0.45"      | 0.04" | Ergo        |
| M491  | 60 Degree Angled Tip Flush Cutter             | 4.90" | 0.45"        | 0.45"      | 0.06" | Traditional |
| M491E | 60 Degree Angled Tip Flush Cutter, Ergo       | 5.80" | 0.45"        | 0.45"      | 0.06" | Ergo        |

M-SERIES SHEARS

| Model | Description        | OAL   | Blade Length | Body Width | Tip   | Handle Type |
|-------|--------------------|-------|--------------|------------|-------|-------------|
| MC6E  | Large Cable Shears | 6.00" | 0.40"        | 0.60"      | 0.09" | Ergo        |
| MC8E  | Large Cable Shears | 7.25" | 0.40"        | 0.70"      | 0.09" | Ergo        |