



EXCELTA®
SINCE 1957



New Slimline Wire Cutters

5 Star

Introducing the latest innovation from Excelta

Made of carbon tool steel with induction hardened cutting blades to RHC 63-65. The CNC machining allows the Lazerlok™ joint surfaces to be perfect to allow for long life. The grips are ergonomically molded plastic and are ESD safe (10¹⁰ ohms/sq). The dual leaf springs provide smooth action.

 excelta.com



 805.686.4686

60 Easy Street | Buellton | California | 93427 | USA

NEW SMALL HEAD CUTTERS



Slim Line Small Round Head

Part#	Grip	Length	Cutting Edge	Maximum Cutting Capacity
9231E	Molded	4.25" (106mm)	Maximum flush	18 AWG .040" 1.00 mm
9232E	Molded	4.25" (106mm)	Optimum flush	20 AWG .032" 0.80 mm





Slim Line Small Tapered/Relieved Head

Part#	Grip	Length	Cutting Edge	Maximum Cutting Capacity
9238E	Molded	4.25" (106mm)	Optimum flush	22 AWG .025" 0.63 mm



Smallest Fine Tapered Tips

Part#	Grip	Length	Cutting Edge	Maximum Cutting Capacity
7371E	Molded	4.25" (106mm)	Optimum Flush	30 AWG .010" 0.25 mm



Small Angulated Head

Part#	Grip	Length	Cutting Edge	Maximum Cutting Capacity
7375E	Molded	4.25" (106mm)	Optimum Flush	30 AWG .010" 0.25 mm

